



OCTOBER 2021

Effective 10/01/2021

Cooking Equipment, Kettle Tools, Options and Accessories Price List



**LEGION®**

Cooking Equipment, Kettle Tools, Options and Accessories Price List

Effective **10/01/2021**

Legion Industries has a long-standing tradition of excellence in manufacturing the highest quality stainless steel equipment for the foodservice industry. Known for quality, value and uncompromising attention to detail, Legion continues to advance the century old company tradition of leadership in product design and innovation, superior service and incomparable customer support.

No matter what your needs, take a look at Legion where you'll always find quality, innovation and value. For questions on our October 1, 2021 Price List, or for information on our products, please call our toll free number 1-800-887-1988 or visit our website, www.legionindustries.com.



Autocad Participants:

Cad symbols for Legion equipment are available on the KCL Cadalog. Symbols include standard equipment in plan, side and front views. Contact Kochman Consultants, Ltd. (KCL) for a free 14-day trial version. Call KCL at (847) 470-1195 or visit their website at www.kclcad.com to download your free trial version.

AUTOQUOTES

Autoquotes Participants:

In addition to brochures and specification sheets, Legion participates in Autoquotes Quotation System & Database. For more information on this service, please contact Autoquotes, 4425 Merrimac Avenue, Suite 3, Jacksonville, FL 32210; (904) 384-2279.

**LEGION**

Legion Industries, div. of Greenfield World Trade, P.O. Office Box 728 Waynesboro, GA 30830 (800) 887-1988, (706) 554-4411 Fax: (706) 554-2035, www.legionindustries.com, sales@legionindustries.com,

Table of Contents

Insulated Multi-Functional Skittle Cookers	2
Insulated Combi-Pan Tilting Skillets	3
Classic Tilting Skillets	4
Classic Tilting Skillets - Wall Mounted	5
Insulated Self-Contained Kettles	6
Insulated Tilting Self-Contained Kettles	7
Insulated Direct Steam Kettles	8
Direct Steam Kettles	9
Direct Steam Kettles - Wall Mounted	10
Tilting Direct Steam Kettles	11
Tilting Direct Steam Kettles - Table Mounted	12
Tilting Direct Steam Kettles - Wall Mounted	13
Coffee Kettles and Beverage Vats	14
Single Mixer/Agitator Kettles	15
Kettles Tools - Ladles	17
Kettles Tools - Paddles	17
Kettles Tools - Whips	17
Accessories	18
Warranties and Policies	
Legion Limited Warranty & Extended Warranty Coverage	19
Conditions of Sale	20

Insulated Multi-Functional Skittle® Cooker

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Electric Model SK			
SK5-5	7.6 (28.8)	479 (217)	27,161
SK5-7	10.6 (40.1)	495 (225)	27,633
SK5-9	13.7 (51.9)	512 (232)	28,101
SK10-5	15.2 (57.5)	528 (239)	30,907
SK10-7	21.3 (80.6)	561 (254)	31,378
SK10-9	27.4 (103.7)	578 (262)	31,846
SK10-11	33.5 (126.8)	611 (277)	33,718
SK15-5	22.3 (84.4)	622 (282)	35,358
SK15-7	31.2 (118.1)	655 (297)	36,529
SK15-9	40.1 (151.8)	688 (312)	37,701
SK15-11	49 (185.5)	721 (327)	40,041
Gas-Fired Model SKG			
SKG5-5	7.6 (28.8)	534 (242)	31,812
SKG5-7	10.6 (40.1)	523 (237)	32,277
SKG5-9	13.7 (51.9)	567 (257)	32,744
SKG10-5	15.2 (57.5)	583 (264)	35,527
SKG10-7	21.3 (80.6)	600 (272)	35,993
SKG10-9	27.4 (103.7)	633 (287)	36,458
SKG10-11	33.5 (126.8)	666 (302)	38,315
SKG15-5	22.3 (84.4)	677 (307)	39,940
SKG15-7	31.2 (118.1)	743 (337)	40,640
SKG15-9	40.1 (151.8)	798 (362)	41,334
SKG15-11	49 (185.5)	831 (377)	43,654
Direct Steam Model DSK			
DSK10-5	15.2 (57.5)	495 (225)	33,546
DSK10-7	21.3 (80.6)	510 (231)	34,595
DSK10-9	27.4 (103.7)	530 (240)	35,644
DSK10-11	33.5 (126.8)	575 (261)	37,217
DSK15-5	22.3 (84.4)	580 (263)	38,794
DSK15-7	31.2 (118.1)	600 (272)	39,840
DSK15-9	40.1 (151.8)	630 (286)	40,886
DSK15-11	49 (185.5)	640 (290)	42,457

Draw-Off Valves		
2S	2" compression draw-off valve	502
3S	3" compression draw-off valve	2,230

Fill Faucets & Brackets		
FBST	Faucet bracket mounted on unit	259
PRSNH	Pre-rinse spray & 4' PVC hose	0
DFF	Dual faucet pre-rinse spray & s/s	1,278
SHA	Additional spray hose (per inch)	6
ACWS	Automatic water filling meter	7,018

Electric/Power		
HV	380, 415, 440 or 480 volt	824
HVG	208 or 240 volt - gas unit only	577

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Electric Model SKL			
SKL3-5	7.6 (28.8)	462 (210)	27,046
SKL3-7	10.6 (40.1)	479 (217)	27,398
SKL3-9	13.7 (51.9)	495 (225)	27,749
SKL6-5	15.2 (57.5)	528 (239)	30,792
SKL6-7	21.3 (80.6)	528 (239)	31,143
SKL6-9	27.4 (103.7)	561 (254)	31,496
SKL6-11	33.5 (126.8)	594 (269)	33,366
SKL9-5	22.3 (84.4)	605 (274)	35,243
SKL9-7	31.2 (118.1)	638 (289)	36,297
SKL9-9	40.1 (151.8)	671 (304)	37,344
SKL9-11	49 (185.5)	704 (319)	39,689
Gas-Fired Model SKGL			
SKGL3-5	7.6 (28.8)	517 (235)	31,698
SKGL3-7	10.6 (40.1)	534 (242)	32,045
SKGL3-9	13.7 (51.9)	550 (249)	32,393
SKGL6-5	15.2 (57.5)	567 (257)	35,412
SKGL6-7	21.3 (80.6)	583 (264)	35,763
SKGL6-9	27.4 (103.7)	616 (279)	36,108
SKGL6-11	33.5 (126.8)	649 (294)	37,966
SKGL9-5	22.3 (84.4)	660 (299)	39,821
SKGL9-7	31.2 (118.1)	693 (314)	40,401
SKGL9-9	40.1 (151.8)	726 (329)	40,985
SKGL9-11	49 (185.5)	759 (344)	43,308
Direct Steam Model DSKL			
DSKL6-5	15.2 (57.5)	495 (225)	33,440
DSKL6-7	21.3 (80.6)	510 (231)	34,387
DSKL6-9	27.4 (103.7)	530 (240)	35,331
DSKL6-11	33.5 (126.8)	575 (261)	36,903
DSKL9-5	22.3 (84.4)	580 (263)	38,686
DSKL9-7	31.2 (118.1)	600 (272)	39,627
DSKL9-9	40.1 (151.8)	630 (286)	40,784
DSKL9-11	49 (185.5)	640 (290)	42,146

Other Options		
AT	Electric timer with buzzer	758
KD	Knockdown capability for 26" x 66"	2,281
TQD	Gas quick disconnect 3/4"	213
TQDH	Flexible gas hose 3/4" x 60"	601

Prison/Security		
DOPSK	Draw-off protection package	684
TRTK	Tamper resistant pin torx key	31
TRFT	Tamper resistant fasteners	492
LCC	Lockable control cover	1,108

Insulated Combi-Pan® Tilting Skillet

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Electric Model CS			
CS28-5	15.2 (57.5)	418 (190)	21,215
CS28-7	21.3 (80.6)	435 (197)	21,642
CS28-9	27.4 (103.7)	468 (212)	22,067
CS28-11	33.5 (126.8)	484 (220)	22,489
CS28-14	42.6 (161.2)	517 (235)	24,188
CS41-5	22.3 (84.4)	512 (232)	24,822
CS41-7	31.2 (118.1)	545 (247)	25,461
CS41-9	40.1 (151.8)	578 (262)	26,096
CS41-11	49 (185.5)	594 (269)	26,735
CS41-14	62.4 (236.2)	627 (284)	28,535
Gas-Fired Model CSG			
CSG28-5	15.2 (57.5)	473 (215)	25,723
CSG28-7	21.3 (80.6)	490 (222)	26,155
CSG28-9	27.4 (103.7)	523 (237)	26,585
CSG28-11	33.5 (126.8)	539 (244)	27,020
CSG28-14	42.6 (161.2)	572 (259)	28,747
CSG41-5	22.3 (84.4)	567 (257)	30,041
CSG41-7	31.2 (118.1)	600 (272)	30,689
CSG41-9	40.1 (151.8)	688 (312)	31,340
CSG41-11	49 (185.5)	704 (319)	31,987
CSG41-14	62.4 (236.2)	737 (334)	33,823

Draw-Off Valves		
2S	2" compression draw-off valve	502
3S	3" compression draw-off valve	2,230

Fill Faucets & Brackets		
FBST	Faucet bracket mounted on unit	259
SFFH	Single ball valve pre-rinse spray & s/s hose	517
SBVNH	Single ball valve pre-rinse spray & pvc hose	517
DFFH	Dual faucet pre-rinse spray & s/s hose	1,278
DWFNH	Dual faucet pre-rinse spray & pvc hose	1,278
DWFSH	Dual faucet pre-rinse spray & pvc hose	1,278
SHA	Additional spray hose (per inch)	6
ACWS	Automatic water filling meter	7,018

Prison/Security		
DOPSK	Draw-off protection package	684
TRTK	Tamper resistant pin torx key	31
TRFT	Tamper resistant fasteners	492
LCC	Lockable control cover	1,108
PCS	Lockable lid, skillets (2 ea. required per unit)	476

Electric/Power		
HV	380, 415, 440 or 480 volt	824
HVG	208 or 240 volt - gas unit only	577

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Direct Steam Model DCS			
DCS28-5	15.2 (57.5)	418 (190)	28,231
DCS28-7	21.3 (80.6)	435 (197)	28,824
DCS28-9	27.4 (103.7)	468 (212)	29,413
DCS28-11	33.5 (126.8)	484 (220)	30,002
DCS28-14	42.6 (161.2)	517 (235)	31,575
DCS41-5	22.3 (84.4)	512 (232)	32,165
DCS41-7	31.2 (118.1)	545 (247)	32,757
DCS41-9	40.1 (151.8)	578 (262)	33,345
DCS41-11	49 (185.5)	594 (269)	33,938
DCS41-14	62.4 (236.2)	627 (284)	35,412

Feet & Casters		
FF-CPS	Adjustable 2" square flanged foot (per foot)	118
CAS-KIT	Caster kit (includes 2 ea. locking & non-locking casters and 1 ea. restraining device kit.	582

Other Options		
AT	Electric timer with buzzer	758
KD	Knockdown capability for 26" x 66"	2,281
TQD	Gas quick disconnect 3/4"	213
TQDH	Flexible gas hose 3/4" x 60"	601

Classic Tilting Skillets

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Electric Model TES			
TES-2424-7	19 (71.9)	400 (181)	22,851
TES-2424-9	24 (90.8)	410 (186)	22,907
TES-2424-11	30 (113.6)	430 (195)	24,311
TES-2430-7	23 (87.1)	440 (200)	24,614
TES-2430-9	30 (113.6)	490 (222)	24,780
TES-2430-11	37 (140.1)	530 (240)	25,939
TES-2440-7	31 (117.3)	545 (247)	27,153
TES-2440-9	40 (151.4)	595 (270)	27,373
TES-2440-11	49 (185.5)	625 (283)	28,256

Draw-Off Valves		
1.5T	1.5" compression draw-off valve	978
2T	2" compression draw-off valve	1,478
3T	3" compression draw-off valve	3,345

Fill Faucets & Brackets		
FBST	Faucet bracket mounted on unit	259
CWF	Single fill faucet, 12" swing nozzle	517
B205	Single fill faucet, 18" swing nozzle	517
CWF48	Single faucet pre-rinse spray & s/s	1,139
CWFNH	Single faucet pre-rinse spray & pvc	1,139
DWF	Dual fill faucet, 12" swing nozzle	658
B200	Dual fill faucet, 18" swing nozzle	658
DFFH	Dual faucet pre-rinse spray & s/s	1,278
DWFNH	Dual faucet pre-rinse spray & pvc	1,278
DWFSH	Dual faucet pre-rinse spray & pvc	1,278
SHA	Additional spray hose (per inch)	6
ACWS	Automatic water filling meter	7,018

Prison/Security		
TRTK	Tamper resistant pin torx key	31
TRFT	Tamper resistant fasteners	492
LCC	Lockable control cover	1,108
PCS	Lockable lid, skillets (2 ea. required per unit)	476

Electric/Power		
HV	380, 415, 440 or 480 volt	824
HVG	208 or 240 volt - gas unit only	577

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Electric Model RES			
RES-1824	13 (49.2)	237 (108)	17,175
RES-2418	13 (49.2)	237 (108)	17,175

Gas-Fired Model TGSE			
TGSE-2430-7	23 (87.1)	460 (209)	25,666
TGSE-2430-9	30 (113.6)	510 (231)	25,778
TGSE-2430-11	37 (140.1)	560 (254)	26,911
TGSE-2440-7	31 (117.3)	575 (261)	29,288
TGSE-2440-9	40 (151.4)	625 (283)	29,505
TGSE-2440-11	49 (185.5)	675 (306)	29,775

Feet & Casters		
FF-158	Adjustable 1 5/8" round flanged foot (per foot)	56
CAS-KIT	Caster kit (includes 2 ea. locking & non-locking casters and 1 ea. restraining device kit.	582

Other Options		
AT	Electric timer with buzzer	758
QD	Gas quick disconnect 1/2"	153
CQDH	Flexible gas hose 1/2" x 60"	474

Options for Model RES Only		
LOC-R	Lift-off cover	915
R-539A	Table for one (1) RES skillet	3,645

Classic Tilting Skillets - Wall Mounted

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Electric Model TES-WC			
TES-2424-7-WC	19 (71.9)	400 (181)	25,735
TES-2424-9-WC	24 (90.8)	410 (186)	25,735
TES-2424-11-WC	30 (113.6)	430 (195)	26,770
TES-2430-7-WC	23 (87.1)	440 (200)	27,501
TES-2430-9-WC	30 (113.6)	490 (222)	27,501
TES-2430-11-WC	37 (140.1)	530 (240)	28,877
TES-2440-7-WC	31 (117.3)	545 (247)	30,492
TES-2440-9-WC	40 (151.4)	595 (270)	30,492
TES-2440-11-WC	49 (185.5)	625 (283)	31,946

Draw-Off Valves		
1.5T	1.5" compression draw-off valve	978
2T	2" compression draw-off valve	1,478
3T	3" compression draw-off valve	3,345

Fill Faucets & Brackets		
FBST	Faucet bracket mounted on unit	259
CWF	Single fill faucet, 12" swing nozzle	517
B205	Single fill faucet, 18" swing nozzle	517
CWF48	Single faucet pre-rinse spray & s/s	1,139
CWFNH	Single faucet pre-rinse spray & pvc	1,139
DWF	Dual fill faucet, 12" swing nozzle	658
B200	Dual fill faucet, 18" swing nozzle	658
DFFH	Dual faucet pre-rinse spray & s/s	1,278
DWFNH	Dual faucet pre-rinse spray & pvc	1,278
DWFSH	Dual faucet pre-rinse spray & pvc	1,278
SHA	Additional spray hose (per inch)	6
ACWS	Automatic water filling meter	7,018

Prison/Security		
TRTK	Tamper resistant pin torx key	31
TRFT	Tamper resistant fasteners	492
LCC	Lockable control cover	1,108
PCS	Lockable lid, skillets	476

Electric/Power		
HV	380, 415, 440 or 480 volt	824
HVG	208 or 240 volt - gas unit only	577

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Gas-Fired Model TGSE-WC			
TGSE-2430-7-WC	23 (87.1)	460 (209)	33,938
TGSE-2430-9-WC	30 (113.6)	510 (231)	33,938
TGSE-2430-11-WC	37 (140.1)	560 (254)	35,303
TGSE-2440-7-WC	31 (117.3)	575 (261)	36,677
TGSE-2440-9-WC	40 (151.4)	625 (283)	36,677
TGSE-2440-11-WC	49 (185.5)	675 (306)	38,180

Other Options		
AT	Electric timer with buzzer	758
WM	In-wall carrier for wall mounting	5,318

Insulated Self-Contained Kettles

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Electric Model LEC			
LEC-20	20 (75.7)	445 (202)	21,449
LEC-30	30 (113.6)	520 (236)	22,575
LEC-40	40 (151.4)	630 (286)	25,785
LEC-60	60 (227.1)	785 (356)	32,958
LEC-80	80 (302.8)	995 (451)	36,165

Gas-Fired Model LGB			
LGB-20	20 (75.7)	395 (179)	23,669
LGB-25	25 (94.6)	440 (200)	23,792
LGB-30	30 (113.6)	480 (218)	23,922
LGB-40	40 (151.4)	555 (252)	25,944
LGB-50	50 (189.3)	650 (295)	27,405
LGB-60	60 (227.1)	720 (327)	28,861
LGB-80	80 (302.8)	805 (365)	32,562
LGB-100	100 (378.5)	860 (390)	36,258
LGB-125	125 (473.2)	875 (397)	40,887

Draw-Off Valves		
3KS	3" compression draw-off valve	2,230

Fill Faucets & Brackets		
FBST	Faucet bracket mounted on unit	259
CWF	Single fill faucet, 12" swing nozzle	517
B205	Single fill faucet, 18" swing nozzle	517
CWF48	Single faucet pre-rinse spray & s/s hose	1,139
CWFNH	Single faucet pre-rinse spray & pvc hose	1,139
DWF	Dual fill faucet, 12" swing nozzle	658
B200	Dual fill faucet, 18" swing nozzle	658
DFFH	Dual faucet pre-rinse spray & s/s hose	1,278
DWFNH	Dual faucet pre-rinse spray & pvc hose	1,278
DWFSH	Dual faucet pre-rinse spray & pvc hose	1,278
PFSV	Kettle filler hook in lieu of spray valve	150
SHA	Additional spray hose (per inch)	6
ACWS	Automatic water filling meter	7,018

Prison/Security		
DOPI	Draw-off protection, insulated kettle	2,301
TRTK	Tamper resistant pin torx key	31
TRFT	Tamper resistant fasteners	492
LCC	Lockable control cover	1,108
PC	Lockable lid, kettles	238

Feet		
FF-200	Adjustable 2" flanged foot (per foot)	79

Electric/Power		
HV	380, 415, 440 or 480 volt	824
HVG	208 or 240 volt - gas unit only	577

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Electric Model HEC (High Capacity Model)			
HEC-20	20 (75.7)	450 (204)	22,399
HEC-30	30 (113.6)	535 (243)	27,202
HEC-40	40 (151.4)	645 (293)	29,476
HEC-60	60 (227.1)	800 (363)	36,165
HEC-80	80 (302.8)	1010 (458)	38,933

Gas-Fired Model LGB-F (Low-Rim® Kettle)			
LGB-15F	15 (56.8)	350 (159)	23,669
LGB-20F	20 (75.7)	395 (179)	23,792
LGB-25F	25 (94.6)	440 (200)	24,870
LGB-30F	30 (113.6)	480 (218)	25,944
LGB-40F	40 (151.4)	555 (252)	28,861
LGB-60F	60 (227.1)	720 (327)	32,562
LGB-80F	80 (302.8)	805 (365)	36,258
LGB-100F	100 (378.5)	860 (390)	40,887

Covers/Lids		
LCS-S	Lift-off, 10 - 20 gallon	0
LCS-M	Lift-off, 25 - 60 gallon	0
LCS-L	Lift-off, 80 - 100 gallon	0
ACS-S	Actuator assisted, 15 - 30 gallon	617
HCS2-M	2 piece hinged, 20 - 40 gallon	0
HCS2-L	2 piece hinged, 50 - 150 gallon	0

Other Options		
AT	Electric timer with buzzer	758
IPS	Pressure switch	2,126
TQD	Gas quick disconnect 3/4"	213
TQDH	Flexible gas hose 3/4" x 60"	601

Basket Inserts		
SBI-M	Single basket insert 15-40 gallon kettle	1,521
TBI-S	Tri-basket insert 20-40 gallon kettle	1,869
TBI-M	Tri-basket insert 50-80 gallon kettle	2,306
TBI-L	Tri-basket insert 100-125 gallon kettle	2,772
NBI	Nylon bag insert with ring (per basket)	212

Liner		
316LNR	316 Stainless steel liner	1,063

Insulated Tilting Self-Contained Kettles

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Tabletop Electric Model TEH			
TEH-20	5 (18.9)	200 (91)	12,966
TEH-40	10 (37.9)	220 (100)	14,742
Electric Model TEH-F			
TEH-5F	5 (18.9)	281 (127)	16,525
TEH-10F	10 (37.9)	297 (135)	18,003
Electric Model TWE (High Capacity Model)			
TWE-20	20 (75.7)	560 (254)	27,865
TWE-30	30 (113.6)	680 (308)	32,642
TWE-40	40 (151.4)	800 (363)	36,048
TWE-60	60 (227.1)	920 (417)	42,407

Draw-Off Valves		
2T	2" compression draw-off valve	1,478
3T	3" compression draw-off valve	3,345
Fill Faucets & Brackets		
FBT	Faucet bracket mounted on unit	259
CWF	Single fill faucet, 12" swing nozzle	517
B205	Single fill faucet, 18" swing nozzle	517
CWF48	Single faucet pre-rinse spray & s/s hose	1,139
CWFNH	Single faucet pre-rinse spray & pvc hose	1,139
DWF	Dual fill faucet, 12" swing nozzle	658
B200	Dual fill faucet, 18" swing nozzle	658
DFFH	Dual faucet pre-rinse spray & s/s hose	1,278
DWFNH	Dual faucet pre-rinse spray & pvc hose	1,278
DWFSH	Dual faucet pre-rinse spray & pvc hose	1,278
PFSV	Kettle filler hook in lieu of spray valve	150
SHA	Additional spray hose (per inch)	6
ACWS	Automatic water filling meter	7,018

Prison/Security		
TRTK	Tamper resistant pin torx key	31
TRFT	Tamper resistant fasteners	492
LCC	Lockable control cover	1,108

Electric/Power		
HV	380, 415, 440 or 480 volt	824
HVG	208 or 240 volt - gas unit only	577

Covers/Lids		
LCT-S	Lift-off, 5 - 25 gallon	509
LCT-M	Lift-off, 30 - 60 gallon	766
ACT-S	Actuator-assisted, 20 - 40 gallon	1,694
ACT-M	Actuator-assisted, 50 - 80 gallon	2,585

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Gas-Fired Model TLGB			
TLGB-20	20 (75.7)	395 (179)	28,774
TLGB-30	30 (113.6)	480 (218)	29,020
TLGB-40	40 (151.4)	555 (252)	31,813
TLGB-60	60 (227.1)	720 (327)	35,468
TLGB-80	80 (302.8)	805 (365)	39,027
Gas-Fired Model TLGB-F (Low-Rim® Kettle)			
TLGB-20F	20 (75.7)	480 (218)	28,893
TLGB-30F	30 (113.6)	555 (252)	30,965
TLGB-40F	40 (151.4)	650 (295)	34,620
TLGB-60F	60 (227.1)	705 (320)	39,027

Other Options		
AT	Electric timer with buzzer	758
IPS	Pressure switch	2,126
TQDH	Flexible gas hose 3/4" x 60"	601

Basket Inserts		
SBI-M	Single basket insert 15-40 gallon kettle	1,521
TBI-S	Tri-basket insert 20-40 gallon kettle	1,869
TBI-M	Tri-basket insert 50-80 gallon kettle	2,306
TBI-L	Tri-basket insert 100-125 gallon kettle	2,772
NBI	Nylon bag insert with ring (per basket)	212

Options for Model TEH Only		
TEH-LD	Tilt locking device, TEH kettles	1,013
SBI-S	Single basket insert 5-10 gallon	637
R-343A-1	Table for one (1) TEH kettle	2,821
R-343A-2	Table for two (2) TEH kettles	5,277
RISER	Riser for table mounted fill faucet	261

Liner		
316LNR	316 Stainless steel liner	1,063

Insulated Direct Steam Kettles

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model LTI - 2/3 Jacket			
LTI-20	20 (75.7)	205 (93)	14,601
LTI-30	30 (113.6)	293 (133)	14,686
LTI-40	40 (151.4)	354 (161)	14,941
LTI-60	60 (227.1)	495 (225)	17,405
LTI-80	80 (302.8)	700 (318)	20,638
LTI-100	100 (378.5)	820 (372)	26,877
LTI-125	125 (473.2)	930 (422)	28,495

Draw-Off Valves		
3KS	3" compression draw-off valve	2,230

Fill Faucets & Brackets		
FBST	Faucet bracket mounted on unit	259
CWF	Single fill faucet, 12" swing nozzle	517
B205	Single fill faucet, 18" swing nozzle	517
CWF48	Single faucet pre-rinse spray & s/s hose	1,139
CWFNH	Single faucet pre-rinse spray & pvc hose	1,139
DWF	Dual fill faucet, 12" swing nozzle	658
B200	Dual fill faucet, 18" swing nozzle	658
DFFH	Dual faucet pre-rinse spray & s/s hose	1,278
DWFNH	Dual faucet pre-rinse spray & pvc hose	1,278
DWFSH	Dual faucet pre-rinse spray & pvc hose	1,278
PFSV	Kettle filler hook in lieu of spray valve	150
SHA	Additional spray hose (per inch)	6
ACWS	Automatic water filling meter	7,018

Prison/Security		
SVP	Steam control valve protection	249
PGP	Pressure gauge protection	255
DOPI	Draw-off protection, insulated kettle	2,301
TRFT	Tamper resistant fasteners	492

Other Options		
AEV	Air eliminator valve	524
HOP	Higher operating pressure	606
PRV	Pressure reducing valve	P O A

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model LSI - Full Jacket (Low-Rim® Kettle)			
LSI-20	20 (75.7)	205 (93)	17,833
LSI-25	25 (94.6)	275 (125)	17,932
LSI-30	30 (113.6)	293 (133)	19,336
LSI-40	40 (151.4)	354 (161)	20,278
LSI-60	60 (227.1)	495 (225)	26,154
LSI-80	80 (302.8)	700 (318)	28,904
LSI-100	100 (378.5)	820 (372)	35,709
LSI-125	125 (473.2)	590 (268)	46,654

Steam Trap Kits		
SCP-SM-P	Steam trap kit, 10-100 gal. nickel-plated	1,535
SCP-SXL-P	Steam trap kit, 125-150 gal. nickel-plated	1,535

Basket Inserts		
SBI-M	Single basket insert 15-40 gallon kettle	1,521
TBI-S	Tri-basket insert 20-40 gallon kettle	1,869
TBI-M	Tri-basket insert 50-80 gallon kettle	2,306
TBI-L	Tri-basket insert 100-125 gallon kettle	2,772
NBI	Nylon bag insert with ring (per basket)	212

Covers/Lids		
LCS-S	Lift-off, 10 - 20 gallon	0
LCS-M	Lift-off, 25 - 60 gallon	0
LCS-L	Lift-off, 80 - 100 gallon	0
ACS-S	Actuator assisted, 15 - 30 gallon	617
HCS2-M	2 piece hinged, 20 - 40 gallon	0
HCS2-L	2 piece hinged, 50 - 150 gallon	0

Liner		
316LNR	316 Stainless steel liner	1,063

Direct Steam Kettles

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model LT - 2/3 Jacket			
LT-10	10 (37.9)	138 (63)	8,711
LT-20	20 (75.7)	154 (70)	9,249
LT-30	30 (113.6)	193 (88)	9,313
LT-40	40 (151.4)	237 (108)	9,494
LT-50	50 (189.3)	275 (125)	9,592
LT-60	60 (227.1)	310 (141)	11,260
LT-80	80 (302.8)	468 (212)	13,580
LT-100	100 (378.5)	539 (244)	18,055
LT-125	125 (473.2)	638 (289)	19,217
LT-150	150 (567.8)	670 (304)	19,934

Model LP - 2/3 Jacket			
LP-10	10 (37.9)	138 (63)	8,711
LP-20	20 (75.7)	154 (70)	9,249
LP-30	30 (113.6)	176 (80)	9,313
LP-40	40 (151.4)	198 (90)	9,494
LP-50	50 (189.3)	220 (100)	9,592
LP-60	60 (227.1)	270 (122)	11,260
LP-80	80 (302.8)	275 (125)	13,580
LP-100	100 (378.5)	410 (186)	18,055

Draw-Off Valves		
3KS	3" compression draw-off valve	2,230

Fill Faucets & Brackets		
FBST	Faucet bracket mounted on unit	259
CWF	Single fill faucet, 12" swing nozzle	517
B205	Single fill faucet, 18" swing nozzle	517
CWF48	Single faucet pre-rinse spray & s/s hose	1,139
CWFNH	Single faucet pre-rinse spray & pvc hose	1,139
DWF	Dual fill faucet, 12" swing nozzle	658
B200	Dual fill faucet, 18" swing nozzle	658
DFFH	Dual faucet pre-rinse spray & s/s hose	1,278
DWFNH	Dual faucet pre-rinse spray & pvc hose	1,278
DWFSH	Dual faucet pre-rinse spray & pvc hose	1,278
PFSV	Kettle filler hook in lieu of spray valve	150
SHA	Additional spray hose (per inch)	6
ACWS	Automatic water filling meter	7,018

Prison/Security		
DOPU	Draw-off protection, uninsulated kettle	2,301
RBR-S	Heavy reinforced bar rim, 10-30 gallon	1,521
RBR-M	Heavy reinforced bar rim, 40-80 gallon	1,775
RBR-L	Heavy reinforced bar rim, 100-150 gallon	2,026
TRFT	Tamper resistant fasteners	492
TRSNDO	Tamper resistant nut, draw-off handle	35

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model LS - Full Jacket (Low-Rim® Kettle)			
LS-20	20 (75.7)	190 (86)	11,567
LS-25	25 (94.6)	240 (109)	11,642
LS-40	40 (151.4)	275 (125)	13,323
LS-50	50 (189.3)	330 (150)	15,390
LS-60	60 (227.1)	375 (170)	17,537
LS-80	80 (302.8)	445 (202)	19,509
LS-100	100 (378.5)	550 (249)	24,390
LS-125	125 (473.2)	590 (268)	32,239
LS-150	150 (567.8)	675 (306)	45,660

Model LSP - Full Jacket (Low-Rim® Kettle)			
LSP-20	20 (75.7)	190 (86)	11,567
LSP-25	25 (94.6)	225 (102)	11,642
LSP-40	40 (151.4)	250 (113)	13,323
LSP-50	50 (189.3)	300 (136)	15,390
LSP-60	60 (227.1)	350 (159)	17,537
LSP-80	80 (302.8)	420 (191)	19,513
LSP-100	100 (378.5)	520 (236)	24,390

Other Options		
AEV	Air eliminator valve	524
HOP	Higher operating pressure	606
PRV	Pressure reducing valve	P O A

Covers/Lids		
LCS-S	Lift-off, 10 - 20 gallon	0
LCS-M	Lift-off, 25 - 60 gallon	0
LCS-L	Lift-off, 80 - 100 gallon	0
ACS-S	Actuator assisted, 15 - 30 gallon	617
HCS2-M	2 piece hinged, 20 - 40 gallon	0
HCS2-L	2 piece hinged, 50 - 150 gallon	0

Steam Trap Kits		
SCP-SM-P	Steam trap kit, 10-100 gal. nickel-plated	1,535
SCP-SXL-P	Steam trap kit, 125-150 gal. nickel-plated	1,535

Basket Inserts		
SBI-S	Single basket insert 5-10 gallon kettle	637
SBI-M	Single basket insert 15-40 gallon kettle	1,521
TBI-S	Tri-basket insert 20-40 gallon kettle	1,869
TBI-M	Tri-basket insert 50-80 gallon kettle	2,306
TBI-L	Tri-basket insert 100-125 gallon kettle	2,772
NBI	Nylon bag insert with ring (per basket)	212

Liner		
316LNR	316 Stainless steel liner	1,063

Direct Steam Kettles - Wall Mounted

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model LTWT - 2/3 Jacket			
LTWT-10	10 (37.9)	150 (68)	11,297
LTWT-20	20 (75.7)	170 (77)	12,466
LTWT-30	30 (113.6)	190 (86)	13,050
LTWT-40	40 (151.4)	215 (98)	13,634
LTWT-50	50 (189.3)	275 (125)	14,800
LTWT-60	60 (227.1)	335 (152)	16,357
LTWT-80	80 (302.8)	415 (188)	18,306
LTWT-100	100 (378.5)	539 (244)	21,032

Model LTWC - 2/3 Jacket			
LTWC-20	20 (75.7)	209 (95)	14,141
LTWC-30	30 (113.6)	248 (112)	14,727
LTWC-40	40 (151.4)	292 (132)	16,253
LTWC-50	50 (189.3)	330 (150)	16,475
LTWC-60	60 (227.1)	430 (195)	18,034
LTWC-80	80 (302.8)	523 (237)	19,981
LTWC-100	100 (378.5)	594 (269)	22,708

Draw-Off Valves		
3KS	3" compression draw-off valve	2,230

Fill Faucets & Brackets		
FBST	Faucet bracket mounted on unit	259
CWF	Single fill faucet, 12" swing nozzle	517
B205	Single fill faucet, 18" swing nozzle	517
CWF48	Single faucet pre-rinse spray & s/s hose	1,139
CWFNH	Single faucet pre-rinse spray & pvc hose	1,139
DWF	Dual fill faucet, 12" swing nozzle	658
B200	Dual fill faucet, 18" swing nozzle	658
DFFH	Dual faucet pre-rinse spray & s/s hose	1,278
DWFNH	Dual faucet pre-rinse spray & pvc hose	1,278
DWFSH	Dual faucet pre-rinse spray & pvc hose	1,278
PFSV	Kettle filler hook in lieu of spray valve	150
SHA	Additional spray hose (per inch)	6
ACWS	Automatic water filling meter	7,018

Prison/Security		
RBR-S	Heavy reinforced bar rim, 10-30 gallon	1,521
RBR-M	Heavy reinforced bar rim, 40-80 gallon	1,775
RBR-L	Heavy reinforced bar rim, 100-150 gallon	2,026
TRTK	Tamper resistant pin torx key	31
TRFT	Tamper resistant fasteners	492
TRSND0	Tamper resistant nut, draw-off handle	35
PC	Lockable lid, kettles	238

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model LSWT - Full Jacket (Low-Rim® Kettle)			
LSWT-20	20 (75.7)	193 (88)	15,025
LSWT-25	25 (94.6)	237 (108)	15,627
LSWT-40	40 (151.4)	275 (125)	17,732
LSWT-50	50 (189.3)	330 (150)	20,888
LSWT-60	60 (227.1)	468 (212)	22,953
LSWT-80	80 (302.8)	539 (244)	24,591
LSWT-100	100 (378.5)	638 (289)	27,770

Model LSWC - Full Jacket (Low-Rim® Kettle)			
LSWC-20	20 (75.7)	248 (112)	16,730
LSWC-25	25 (94.6)	292 (132)	17,334
LSWC-40	40 (151.4)	330 (150)	19,438
LSWC-50	50 (189.3)	385 (175)	22,592
LSWC-60	60 (227.1)	523 (237)	24,665
LSWC-80	80 (302.8)	594 (269)	26,697
LSWC-100	100 (378.5)	693 (314)	29,477

Other Options		
AEV	Air eliminator valve	524
HOP	Higher operating pressure	606
PRV	Pressure reducing valve	P O A
WM	In-wall carrier for wall mounting	5,318

Covers/Lids		
LCS-S	Lift-off, 10 - 20 gallon	0
LCS-M	Lift-off, 25 - 60 gallon	0
LCS-L	Lift-off, 80 - 100 gallon	0
ACS-S	Actuator assisted, 15 - 30 gallon	617
HCS2-M	2 piece hinged, 20 - 40 gallon	0
HCS2-L	2 piece hinged, 50 - 150 gallon	0

Steam Trap Kits		
SCP-SM-P	Steam trap kit, 10-100 gal. nickel-plated	1,535
SCP-SXL-P	Steam trap kit, 125-150 gal. nickel-plated	1,535

Basket Inserts		
SBI-S	Single basket insert 5-10 gallon kettle	637
SBI-M	Single basket insert 15-40 gallon kettle	1,521
TBI-S	Tri-basket insert 20-40 gallon kettle	1,869
TBI-M	Tri-basket insert 50-80 gallon kettle	2,306
TBI-L	Tri-basket insert 100-125 gallon kettle	2,772
NBI	Nylon bag insert with ring (per basket)	212

Liner		
316LNR	316 Stainless steel liner	1,063

Tilting Direct Steam Kettles

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model TWU - 2/3 Jacket			
TWU-20	20 (75.7)	193 (88)	11,172
TWU-30	30 (113.6)	242 (110)	11,592
TWU-40	40 (151.4)	259 (117)	12,288
TWU-50	50 (189.3)	341 (155)	13,681
TWU-60	60 (227.1)	363 (165)	14,800
TWU-80	80 (302.8)	451 (205)	17,595
TWU-100	100 (378.5)	545 (247)	20,388

Model TWP - 2/3 Jacket			
TWP-20	20 (75.7)	193 (88)	11,172
TWP-30	30 (113.6)	242 (110)	11,592
TWP-40	40 (151.4)	259 (117)	12,288
TWP-50	50 (189.3)	341 (155)	13,681
TWP-60	60 (227.1)	363 (165)	14,800
TWP-80	80 (302.8)	451 (205)	17,595
TWP-100	100 (378.5)	545 (247)	20,388

Draw-Off Valves			
2T	2" compression draw-off valve		1,478
3T	3" compression draw-off valve		3,345

Fill Faucets & Brackets			
FBT	Faucet bracket mounted on unit		259
CWF	Single fill faucet, 12" swing nozzle		517
B205	Single fill faucet, 18" swing nozzle		517
CWF48	Single faucet pre-rinse spray & s/s hose		1,139
CWFNH	Single faucet pre-rinse spray & pvc hose		1,139
DWF	Dual fill faucet, 12" swing nozzle		658
B200	Dual fill faucet, 18" swing nozzle		658
DFFH	Dual faucet pre-rinse spray & s/s hose		1,278
DWFNH	Dual faucet pre-rinse spray & pvc hose		1,278
DWFSH	Dual faucet pre-rinse spray & pvc hose		1,278
PFSV	Kettle filler hook in lieu of spray valve		150
SHA	Additional spray hose (per inch)		6
ACWS	Automatic water filling meter		7,018

Prison/Security			
RBR-S	Heavy reinforced bar rim, 10-30 gallon		1,521
RBR-M	Heavy reinforced bar rim, 40-80 gallon		1,775
RBR-L	Heavy reinforced bar rim, 100-150 gallon		2,026
TRTK	Tamper resistant pin torx key		31
TRFT	Tamper resistant fasteners		492

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model TWT - 2/3 Jacket			
TWT-20	20 (75.7)	193 (88)	11,172
TWT-30	30 (113.6)	242 (110)	11,592
TWT-40	40 (151.4)	259 (117)	12,288
TWT-50	50 (189.3)	341 (155)	13,681
TWT-60	60 (227.1)	363 (165)	14,800
TWT-80	80 (302.8)	451 (205)	17,595
TWT-100	100 (378.5)	545 (247)	20,388

Other Options			
AEV	Air eliminator valve		524
HOP	Higher operating pressure		606
PRV	Pressure reducing valve		P O A

Covers/Lids			
LCT-S	Lift-off, 5 - 25 gallon		509
LCT-M	Lift-off, 30 - 60 gallon		766
LCT-L	Lift-off, 80 - 100 gallon		1,164
ACT-S	Actuator-assisted, 20 - 40 gallon		1,694
ACT-M	Actuator-assisted, 50 - 80 gallon		2,585
ACT-L	Actuator-assisted, 100 - 150 gallon		3,037

Steam Trap Kits			
SCP-TM-P	Steam trap kit, 20-60 gal. nickel-plated		1,535
SCP-TL-P	Steam trap kit, 80-100 gal. nickel-plated		1,535

Basket Inserts			
SBI-M	Single basket insert 15-40 gallon kettle		1,521
TBI-S	Tri-basket insert 20-40 gallon kettle		1,869
TBI-M	Tri-basket insert 50-80 gallon kettle		2,306
TBI-L	Tri-basket insert 100-125 gallon kettle		2,772
NBI	Nylon bag insert with ring (per basket)		212

Liner			
316LNR	316 Stainless steel liner		1,063

Tilting Direct Steam Kettles - Table Mounted

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model TAT - 2/3 Jacket			
TAT-10	2.5 (9.5)	77 (35)	4,118
TAT-20	5 (18.9)	83 (38)	4,118
TAT-40	10 (37.9)	88 (40)	6,617

Model OC - 2/3 Jacket			
OC-28	.219 (.8)	39 (18)	4,118
OC-90	.703 (2.7)	55 (25)	4,774

Fill Faucets & Brackets		
FBT	Faucet bracket mounted on unit	259
CWF	Single fill faucet, 12" swing nozzle	517
B205	Single fill faucet, 18" swing nozzle	517
CWF48	Single faucet pre-rinse spray & s/s hose	1,139
CWFNH	Single faucet pre-rinse spray & pvc hose	1,139
DWF	Dual fill faucet, 12" swing nozzle	658
B200	Dual fill faucet, 18" swing nozzle	658
RISER	Riser for table mounted fill faucet	261
ACWS	Automatic water filling meter	7,018

Covers/Lids		
LC-XS	Lift-off for Oyster Cooker and 2.5	386
LCT-S	Lift-off, 5 - 25 gallon	509

Steam Trap Kits		
SCP-TS-P	Steam trap kit, 2.5-10 gal. nickel-plated	1,535

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model TFN - 2/3 Jacket			
TFN-10	2.5 (9.5)	83 (38)	4,118
TFN-20	5 (18.9)	88 (40)	4,118

Tables		
L5C-1	Table for one (1) TFN kettle	8,492
L5C-2	Table for two (2) TFN kettles	11,998
L5C-3	Table for three (3) TFN kettles	16,145
R337-1	Table for one (1) TAT kettle	8,469
R337-2	Table for two (2) TAT kettles	12,060
R337-3	Table for three (3) TAT kettles	15,577

Other Options		
AEV	Air eliminator valve	524
PRV	Pressure reducing valve	P O A

Liner		
316LNR	316 Stainless steel liner	1,063

Tilting Direct Steam Kettles - Wall Mounted

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model TWWT - 2/3 Jacket			
TWWT-20	20 (75.7)	193 (88)	14,433
TWWT-30	30 (113.6)	242 (110)	15,031
TWWT-40	40 (151.4)	259 (117)	15,627
TWWT-50	50 (189.3)	341 (155)	16,816
TWWT-60	60 (227.1)	363 (165)	18,404
TWWT-80	80 (302.8)	451 (205)	20,391
TWWT-100	100 (378.5)	545 (247)	23,169

Model TWWC - 2/3 Jacket			
TWWC-20	20 (75.7)	248 (112)	16,001
TWWC-30	30 (113.6)	297 (135)	16,595
TWWC-40	40 (151.4)	314 (142)	17,190
TWWC-50	50 (189.3)	396 (180)	18,378
TWWC-60	60 (227.1)	418 (190)	19,969
TWWC-80	80 (302.8)	506 (230)	21,957
TWWC-100	100 (378.5)	600 (272)	24,736

Draw-Off Valves			
2T	2" compression draw-off valve		1,478
3T	3" compression draw-off valve		3,345

Fill Faucets & Brackets			
FBT	Faucet bracket mounted on unit		259
CWF	Single fill faucet, 12" swing nozzle		517
B205	Single fill faucet, 18" swing nozzle		517
CWF48	Single faucet pre-rinse spray & s/s hose		1,139
CWFNH	Single faucet pre-rinse spray & pvc hose		1,139
DWF	Dual fill faucet, 12" swing nozzle		658
B200	Dual fill faucet, 18" swing nozzle		658
DFFH	Dual faucet pre-rinse spray & s/s hose		1,278
DWFNH	Dual faucet pre-rinse spray & pvc hose		1,278
DWFSH	Dual faucet pre-rinse spray & pvc hose		1,278
PFSV	Kettle filler hook in lieu of spray valve		150
SHA	Additional spray hose (per inch)		6
ACWS	Automatic water filling meter		7,018

Prison/Security			
RBR-S	Heavy reinforced bar rim, 10-30 gallon		1,521
RBR-M	Heavy reinforced bar rim, 40-80 gallon		1,775
RBR-L	Heavy reinforced bar rim, 100-150 gallon		2,026
TRTK	Tamper resistant pin torx key		31
TRFT	Tamper resistant fasteners		492
TRSNO	Tamper resistant nut, draw-off handle		35

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Model TWSWT - Full Jacket (Low-Rim® Kettle)			
TWSWT-20	20 (75.7)	215 (98)	16,749
TWSWT-25	25 (94.6)	264 (120)	17,355
TWSWT-40	40 (151.4)	281 (127)	19,457
TWSWT-50	50 (189.3)	363 (165)	22,616
TWSWT-60	60 (227.1)	385 (175)	24,681
TWSWT-80	80 (302.8)	473 (215)	26,316
TWSWT-100	100 (378.5)	567 (257)	29,499

Model TSWC - Full Jacket (Low-Rim® Kettle)			
TSWC-20	20 (75.7)	270 (122)	18,310
TSWC-25	25 (94.6)	319 (145)	18,916
TSWC-30	30 (113.6)	340 (154)	19,967
TSWC-40	40 (151.4)	336 (152)	21,021
TSWC-50	50 (189.3)	418 (190)	24,178
TSWC-60	60 (227.1)	440 (200)	26,247
TSWC-80	80 (302.8)	528 (239)	27,881
TSWC-100	100 (378.5)	622 (282)	31,064

Other Options			
AEV	Air eliminator valve		524
HOP	Higher operating pressure		606
PRV	Pressure reducing valve		P O A
WM	In-wall carrier for wall mounting		5,318

Covers/Lids			
LCT-S	Lift-off, 5 - 25 gallon		509
LCT-M	Lift-off, 30 - 60 gallon		766
LCT-L	Lift-off, 80 - 100 gallon		1,164
ACT-S	Actuator-assisted, 20 - 40 gallon		1,694
ACT-M	Actuator-assisted, 50 - 80 gallon		2,585
ACT-L	Actuator-assisted, 100 - 150 gallon		3,037

Steam Trap Kits			
SCP-TM-P	Steam trap kit, 20-60 gal. nickel-plated		1,535
SCP-TL-P	Steam trap kit, 80-100 gal. nickel-plated		1,535

Basket Inserts			
SBI-M	Single basket insert 15-40 gallon kettle		1,521
TBI-S	Tri-basket insert 20-40 gallon kettle		1,869
TBI-M	Tri-basket insert 50-80 gallon kettle		2,306
TBI-L	Tri-basket insert 100-125 gallon kettle		2,772
NBI	Nylon bag insert with ring (per basket)		212

Liner			
316LNR	316 Stainless steel liner		1,063

Coffee Kettles and Beverage Vats

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Direct Steam Model LTCR			
LTCR-40	40 (151.4)	737 (334)	54,421
LTCR-60	60 (227.1)	820 (372)	54,677
LTCR-80	80 (302.8)	858 (389)	56,571
LTCR-100	100 (378.5)	1051 (477)	59,050
LTCR-125	125 (473.2)	1122 (509)	63,844
LTCR-150	150 (567.8)	1221 (554)	65,084

Insulated Gas-Fired Model LTCRG			
LTCRG-40	40 (151.4)	974 (442)	66,122
LTCRG-60	60 (227.1)	1073 (487)	66,338
LTCRG-80	80 (302.8)	1337 (606)	66,559
LTCRG-100	100 (378.5)	1353 (614)	69,156

Prison/Security - LTCR		
DOPI	Draw-off protection, insulated kettle	2,301
DOPU	Draw-off protection, uninsulated kettle	2,301
TRTK	Tamper resistant pin torx key	31
TRFT	Tamper resistant fasteners	492
LCC	Lockable control cover	1,108
PC	Lockable lid, kettles	238

Steam Trap Kits		
SCP-SM-P	Steam trap kit, 10-100 gal. nickel-plated	1,535
SCP-SXL-P	Steam trap kit, 125-150 gal. nickel-plated	1,535

Other Options - LTCR		
AEV	Air eliminator valve	524
HOP	Higher operating pressure	606
PRV	Pressure reducing valve	P O A
EDF	Elevated draw-off faucet 1/2"	447
CUWSL	Water supply plumbing assembly	844
SMF	Stainless mesh cloth coffee filter in lieu of	1,269
RCF	Remote coffee fill	10,486
INSKB-ALL	Insulated kettle body	P O A

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Insulated Electric Model LTCRE			
LTCRE-40	40 (151.4)	913 (414)	69,247
LTCRE-60	60 (227.1)	1073 (487)	71,370
LTCRE-80	80 (302.8)	1216 (552)	76,082
LTCRE-100	100 (378.5)	1265 (574)	81,269

Model BEVVAT	
BEVVAT	Pricing Upon Request - Custom Designs Available

Prison/Security - LTCRE & LTCRG		
DOPI	Draw-off protection, insulated kettle	2,301
TRTK	Tamper resistant pin torx key	31
TRFT	Tamper resistant fasteners	492
LCC	Lockable control cover	1,108
PC	Lockable lid, kettles	238

Electric/Power		
HV	380, 415, 440 or 480 volt	824
HVG	208 or 240 volt - gas unit only	577

Other Options - LTCRE & LTCRG		
IPS	Pressure switch	2,126
EDF	Elevated draw-off faucet 1/2"	447
CUWSL	Water supply plumbing assembly	844
SMF	Stainless mesh cloth coffee filter in lieu of	1,269
RCF	Remote coffee fill	10,486

Liner		
316LNR	316 Stainless steel liner	1,063

Single Mixer / Agitator Kettles

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Single Mixer - Model LT - 2/3 Jacket			
LT-20MV	20 (75.7)	154 (70)	62,489
LT-30MV	30 (113.6)	193 (88)	62,566
LT-40MV	40 (151.4)	237 (108)	63,458
LT-50MV	50 (189.3)	237 (108)	63,582
LT-60MV	60 (227.1)	410 (186)	65,621
LT-80MV	80 (302.8)	468 (212)	70,274
LT-100MV	100 (378.5)	939 (426)	75,747
LT-125MV	125 (473.2)	990 (449)	79,579
LT-150MV	150 (567.8)	1020 (463)	80,454

Single Mixer Model LS (Low-Rim® Kettle)			
LS-20MV	20 (75.7)	193 (88)	65,322
LS-25MV	25 (94.6)	237 (108)	66,085
LS-40MV	40 (151.4)	275 (125)	68,143
LS-50MV	50 (189.3)	330 (150)	72,486
LS-60MV	60 (227.1)	468 (212)	75,111
LS-80MV	80 (302.8)	539 (244)	77,523
LS-100MV	100 (378.5)	900 (408)	85,904

Single Mixer - Model LTI - 2/3 Jacket			
LTI-20MV	20 (75.7)	605 (274)	70,584
LTI-30MV	30 (113.6)	693 (314)	70,679
LTI-40MV	40 (151.4)	754 (342)	71,676
LTI-60MV	60 (227.1)	895 (406)	74,410
LTI-80MV	80 (302.8)	1100 (499)	79,929
LTI-100MV	100 (378.5)	1220 (553)	86,844
LTI-125MV	125 (473.2)	1330 (603)	91,210

Single Mixer Model LSI (Low-Rim® Kettle)			
LSI-20MV	20 (75.7)	205 (93)	74,167
LSI-25MV	25 (94.6)	275 (125)	74,993
LSI-30MV	30 (113.6)	293 (133)	76,549
LSI-40MV	40 (151.4)	354 (161)	77,591
LSI-60MV	60 (227.1)	495 (225)	86,042
LSI-80MV	80 (302.8)	700 (318)	89,089
LSI-100MV	100 (378.5)	820 (372)	101,062

Single Mixer - Model TWT - 2/3 Jacket			
TWT-20MV	20 (75.7)	193 (88)	68,645
TWT-30MV	30 (113.6)	242 (110)	69,141
TWT-40MV	40 (151.4)	259 (117)	70,699
TWT-50MV	50 (189.3)	341 (155)	72,351
TWT-60MV	60 (227.1)	363 (165)	73,677
TWT-80MV	80 (302.8)	451 (205)	78,962
TWT-100MV	100 (378.5)	545 (247)	82,276

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Single Mixer - Model TAT - 2/3 Jacket			
TAT-20MV	5 (18.9)	133 (60)	33,503
TAT-40MV	10 (37.9)	140 (64)	37,568

Single Mixer - Model TWU - 2/3 Jacket			
TWU-20MV	20 (75.7)	193 (88)	68,645
TWU-30MV	30 (113.6)	242 (110)	69,141
TWU-40MV	40 (151.4)	259 (117)	70,699
TWU-50MV	50 (189.3)	341 (155)	72,351
TWU-60MV	60 (227.1)	363 (165)	73,677
TWU-80MV	80 (302.8)	451 (205)	78,962
TWU-100MV	100 (378.5)	545 (247)	82,276

Single Mixer Model TEH			
TEH-20MV	5 (18.9)	253 (115)	41,174
TEH-40MV	10 (37.9)	270 (122)	43,942

Single Mixer Model TEH-F			
TEH-5F-MV	5 (18.9)	330 (150)	44,637
TEH-10F-MV	10 (37.9)	363 (165)	47,112

Single Mixer Model LEC			
LEC-20MV	20 (75.7)	845 (383)	74,027
LEC-30MV	30 (113.6)	920 (417)	75,234
LEC-40MV	40 (151.4)	1030 (467)	79,341
LEC-60MV	60 (227.1)	1185 (538)	87,024
LEC-80MV	80 (302.8)	1395 (633)	92,274

Single Mixer Model HEC			
HEC-20MV	20 (75.7)	850 (386)	75,043
HEC-30MV	30 (113.6)	935 (424)	80,187
HEC-40MV	40 (151.4)	1045 (474)	83,296
HEC-60MV	60 (227.1)	1200 (544)	90,459
HEC-80MV	80 (302.8)	1410 (640)	95,239

Single Mixer Model TWE			
TWE-20MV	20 (75.7)	955 (433)	84,599
TWE-30MV	30 (113.6)	1080 (490)	89,365
TWE-40MV	40 (151.4)	1200 (544)	93,508
TWE-60MV	60 (227.1)	1320 (599)	99,849

Single Mixer Model LGB			
LGB-20MV	20 (75.7)	795 (361)	79,240
LGB-30MV	30 (113.6)	880 (399)	79,542
LGB-40MV	40 (151.4)	955 (433)	82,646
LGB-50MV	50 (189.3)	1050 (476)	84,582
LGB-60MV	60 (227.1)	1120 (508)	86,141
LGB-80MV	80 (302.8)	1205 (547)	92,399
LGB-100MV	100 (378.5)	1260 (572)	96,839
LGB-125MV	125 (473.2)	1260 (572)	104,808

Single Mixer / Agitator Kettles

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Single Mixer Model LGB-F (Low-Rim® Kettle)			
LGB-20FMV	20 (75.7)	795 (361)	79,390
LGB-25FMV	25 (94.6)	880 (399)	81,351
LGB-30FMV	30 (113.6)	955 (433)	82,646
LGB-40FMV	40 (151.4)	1120 (508)	86,141
LGB-60FMV	60 (227.1)	1205 (547)	92,399
LGB-80FMV	80 (302.8)	1260 (572)	96,839
LGB-100FMV	100 (378.5)	1260 (572)	104,808
Single Mixer Model TLGB			
TLGB-20MV	20 (75.7)	835 (379)	90,963
TLGB-30MV	30 (113.6)	965 (438)	91,258
TLGB-40MV	40 (151.4)	995 (451)	95,354
TLGB-60MV	60 (227.1)	1160 (526)	99,734
TLGB-80MV	80 (302.8)	1205 (547)	106,022
Single Mixer Model TLGB-F (Low-Rim® Kettle)			
TLGB-20FMV	20 (75.7)	920 (417)	91,106
TLGB-30FMV	30 (113.6)	965 (438)	94,339
TLGB-40FMV	40 (151.4)	1090 (494)	98,721
TLGB-60FMV	60 (227.1)	1145 (519)	106,022
Single Mixer Model LSWT (Low-Rim® Kettle)			
LSWT-20MV	20 (75.7)	593 (269)	69,550
LSWT-25MV	25 (94.6)	637 (289)	70,958
LSWT-40MV	40 (151.4)	675 (306)	73,533
LSWT-50MV	50 (189.3)	730 (331)	79,210
LSWT-60MV	60 (227.1)	768 (348)	81,735
LSWT-80MV	80 (302.8)	839 (381)	83,739
Single Mixer - Model LTWT- 2/3 Jacket			
LTWT-20MV	20 (75.7)	570 (259)	66,717
LTWT-30MV	30 (113.6)	590 (268)	67,446
LTWT-40MV	40 (151.4)	615 (279)	68,846
LTWT-50MV	50 (189.3)	675 (306)	70,300
LTWT-60MV	60 (227.1)	735 (333)	72,244
LTWT-80MV	80 (302.8)	815 (370)	76,489
LTWT-100MV	100 (378.5)	975 (442)	79,884
Single Mixer - Model LTWC - 2/3 Jacket			
LTWC-20MV	20 (75.7)	609 (276)	68,802
LTWC-30MV	30 (113.6)	648 (294)	69,535
LTWC-40MV	40 (151.4)	692 (314)	70,932
LTWC-50MV	50 (189.3)	730 (331)	72,837
LTWC-60MV	60 (227.1)	530 (240)	74,332
LTWC-80MV	80 (302.8)	830 (376)	78,574
LTWC-100MV	100 (378.5)	923 (419)	81,975

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Single Mixer Model LSWC (Low-Rim® Kettle)			
LSWC-20MV	20 (75.7)	632 (287)	71,636
LSWC-25MV	25 (94.6)	695 (315)	73,049
LSWC-40MV	40 (151.4)	752 (341)	75,617
LSWC-50MV	50 (189.3)	785 (356)	81,293
LSWC-60MV	60 (227.1)	823 (373)	83,827
LSWC-80MV	80 (302.8)	890 (404)	86,315
Single Mixer - Model TWWT - 2/3 Jacket			
TWWT-20MV	20 (75.7)	593 (269)	74,455
TWWT-30MV	30 (113.6)	642 (291)	75,188
TWWT-40MV	40 (151.4)	659 (299)	76,661
TWWT-50MV	50 (189.3)	741 (336)	78,115
TWWT-60MV	60 (227.1)	763 (346)	80,060
TWWT-80MV	80 (302.8)	851 (386)	84,507
TWWT-100MV	100 (378.5)	945 (429)	87,899
Single Mixer - Model TWWC - 2/3 Jacket			
TWWC-20MV	20 (75.7)	648 (294)	76,370
TWWC-30MV	30 (113.6)	697 (316)	77,099
TWWC-40MV	40 (151.4)	714 (324)	78,575
TWWC-50MV	50 (189.3)	796 (361)	80,028
TWWC-60MV	60 (227.1)	818 (371)	81,976
TWWC-80MV	80 (302.8)	906 (411)	86,421
TWWC-100MV	100 (378.5)	1000 (454)	89,820
Single Mixer Model TWSWT (Low-Rim® Kettle)			
TWSWT-20MV	20 (75.7)	615 (279)	77,290
TWSWT-25MV	25 (94.6)	664 (301)	78,777
TWSWT-40MV	40 (151.4)	681 (309)	81,345
TWSWT-50MV	50 (189.3)	763 (346)	87,227
TWSWT-60MV	60 (227.1)	785 (356)	89,754
TWSWT-80MV	80 (302.8)	873 (396)	91,755
Single Mixer Model TWSWC (Low-Rim® Kettle)			
TWSWC-20MV	20 (75.7)	670 (304)	79,197
TWSWC-25MV	25 (94.6)	719 (326)	80,687
TWSWC-40MV	40 (151.4)	736 (334)	83,258
TWSWC-50MV	50 (189.3)	818 (371)	89,137
TWSWC-60MV	60 (227.1)	840 (381)	91,668
TWSWC-80MV	80 (302.8)	928 (421)	93,665

Kettle Tools

Model	Gallons (liters)	Lbs. (kg)	Price (USD)
Kettle Tools - Ladles			
L2	.499 (1.9)	8 (4)	492
18 gauge, 304 stainless steel bowl with 16 gauge, 304 stainless, 1" diameter handle.			
L3	.749 (2.8)	8 (4)	543
18 gauge, 304 stainless steel bowl with 16 gauge, 304 stainless, 1" diameter handle.			
L4	1 (3.8)	8 (4)	598
18 gauge, 304 stainless steel bowl with 16 gauge, 304 stainless, 1" diameter handle.			
L6	1.5 (5.7)	9 (4)	651
18 gauge, 304 stainless steel bowl with 16 gauge, 304 stainless, 1" diameter handle.			
LL4	1 (3.8)	13 (6)	853
14 gauge, 304 stainless steel bowl with 18 gauge, 304 stainless, 1 1/4" diameter handle. Overall length 60".			
LL6	1.5 (5.7)	13 (6)	930
14 gauge, 304 stainless steel bowl with 18 gauge, 304 stainless, 1 1/4" diameter handle. Overall length 60".			

Model	Lbs. (kg)	Price (USD)
Kettle Tools - Paddles		
PS	10 (5)	456
12 gauge, 304 stainless steel paddle head with 1 1/2" holes contoured to fit inside kettle shell. 16 gauge, 304 stainless, 1 1/4" diameter handle. Overall length 48"		
PS-11	13 (6)	521
Same as PS with heavy duty, 11 gauge, 1 1/4" diameter handle.		
PL	11 (5)	574
12 gauge, 304 stainless steel paddle head with 1 1/2" holes contoured to fit inside kettle shell. 16 gauge, 304 stainless, 1 1/4" diameter handle. Overall length 58"		
PL-11	14 (6)	696
Same as PL with heavy duty, 11 gauge, 1 1/4" diameter handle.		

Kettle Tools - Whips		
WC	13 (6)	911
3/16" diameter, 304 stainless steel whip wires contoured to fit inside kettle shells, reinforced with center mixing plate. 16 gauge, 304 stainless, 1 1/4" diameter handle. Overall length 58"		
WC-11	16 (7)	1,085
Same as WC with heavy duty, 11 gauge, 1 1/4" diameter handle.		
WS	13 (6)	921
1/4" diameter, 304 stainless steel whip wires contoured to fit inside kettle shells. 16 gauge, 304 stainless, 1 1/4" diameter handle. Overall length 58"		
WS-11	16 (7)	1,138
Same as WS with heavy duty, 11 gauge, 1 1/4" diameter handle.		
KW	13 (6)	760
1/4" diameter, 304 stainless steel whip wires contoured to fit inside kettle shells. 16 gauge, 304 stainless, 1 1/4" diameter handle. Overall length 58"		

KETTLE TOOL HANDLE STYLE OPTIONS*



STYLE 1



STYLE 2



STYLE 3



STYLE 4

*HANDLE STYLE OPTIONS NOT AVAILABLE ON MODELS L2,L3,L4 & L6.

Accessories

Model	Description	Price (USD)
Accessories - Multi-Functional Skittle Cooker		
CH	#10 can holder for draw-off	259
DIH	Draw-off drain with 6' hose	926
DHA	Additional hose for DIH (per foot)	31
DOPS	Draw-off drain spout	684
DOS	Perforated draw-off strainer (1/4" holes)	237
SIP	Perforated food pan, 12" x 20" x 2.5"	212
SIP-4	Perforated food pan, 12" x 20" x 4"	288
SIP-6	Perforated food pan, 12" x 20" x 6"	341
S1220P	Solid food pan, 12" x 20" x 2.5"	206
BPSI	Perforated cooking/steaming basket	801
FBS	Flat bottom scoop	259
FS	Fry scoop	107
SKK	Care kit	655
CSCT	3 part tool for cleaning cooking surface	66

Accessories - Combi-Pan Tilting Skillet		
CH	#10 can holder for draw-off	259
DIH	Draw-off drain with 6' hose	926
DHA	Additional hose for DIH (per foot)	31
DOPS	Draw-off drain spout	684
DOS	Perforated draw-off strainer (1/4" holes)	237
SIP	Perforated food pan, 12" x 20" x 2.5"	212
SIP-4	Perforated food pan, 12" x 20" x 4"	288
SIP-6	Perforated food pan, 12" x 20" x 6"	341
S1220P	Solid food pan, 12" x 20" x 2.5"	206
BPSI	Perforated cooking/steaming basket	801
FBS	Flat bottom scoop	259
FS	Fry scoop	107
CSCT	3 part tool for cleaning cooking surface	66
CKK	Care kit for tilting skillets	405

Accessories - Stationary Kettles		
MS	Measuring strip, gallon markings	355
DIH	Draw-off drain with 6' hose	926
DHA	Additional hose for DIH (per foot)	31
PDS-S	Solid strainer	259
PDS1/8	Perforated strainer (1/8" holes)	259
PDS1/4	Perforated strainer (1/4" holes)	259
KCK-S	Care kit, 5-25 gallon	684
KCK-L	Care kit, 30-125 gallon	732

Accessories for TEH & TEH-F Only		
ASMS	Anti-splash screen for sliding drawer	1,485

Model	Description	Price (USD)
Accessories - Classic Tilting Skillets		
CH	#10 can holder for draw-off	259
DIH	Draw-off drain with 6' hose	926
DHA	Additional hose for DIH (per foot)	31
DOS-CTS	Perforated draw-off strainer (1/4" holes)	259
SIP	Perforated food pan, 12" x 20" x 2.5"	212
SIP-4	Perforated food pan, 12" x 20" x 4"	288
SIP-6	Perforated food pan, 12" x 20" x 6"	341
S1220P	Solid food pan, 12" x 20" x 2.5"	206
BPSI	Perforated cooking/steaming basket	801
FBS	Flat bottom scoop	259
PHABP	Pour lip pan holder assembly	766
PHADO	Draw-off pan holder assembly	838
CSCT	3 part tool for cleaning cooking surface	66
EF	Stationary side frame and tray	637
PLS	Pour lip strainer	156
CKK	Care kit for tilting skillets	405

Accessories - Table Mounted Kettles		
SBI-S	Single basket insert 5-10 gallon kettle	684
NBI	Nylon bag insert with ring (per basket)	212
KCK-S	Care kit, 5-25 gallon	684

Accessories - Tilting Kettles		
MS	Measuring strip, gallon markings	355
DIH	Draw-off drain with 6' hose	926
DHA	Additional hose for DIH (per foot)	31
PDS-S	Solid strainer	259
PDS1/8	Perforated strainer (1/8" holes)	259
PDS1/4	Perforated strainer (1/4" holes)	259
PHAKTL	Pour lip pan holder assembly	766
KCK-S	Care kit, 5-25 gallon	684
KCK-L	Care kit, 30-125 gallon	732

Accessories - Coffee Kettles		
CBI	Cloth coffee bag insert with s/s spreader ring	118
DIH	Draw-off drain with 6' hose	926
DHA	Additional hose for DIH (per foot)	31
KCK-L	Care kit, 30-125 gallon	732

Legion Limited Warranty & Extended Warranty Coverage²⁰²¹

	Legion equipment has been skillfully designed and manufactured, carefully inspected and packaged to meet rigid standards of excellence and is warranted to be free from defects in material and workmanship subject to the following limitations.			
Users	This warranty is limited to Legion equipment sold to the original commercial user (but not original equipment manufacturers), at the original place of installation, in the continental United States and Hawaii. Equipment must be registered within ten (10) days of installation. Damage incurred during shipment is to be reported to the carrier, and is not covered under this warranty.			
Warranty Time Period	This warranty is valid for twelve (12) months from installation (See "Users" regarding registration) or fifteen (15) months from ship date, whichever occurs first.			
Exceptions	Exceptions to standard warranty period are as follows: These parts will be covered for a period of 90 days from registration.			
	Draw-off valve stems	Fill faucets and spray heads	Teflon packing	Switches
	Indicator lights	Valve stem packing and seats	Sight glasses	Timers
Installation	Proper installation and installation verification is the responsibility of the owner-user and is not covered by this warranty. Many local codes exist, and it is the responsibility of the owner-user and installer to comply with these codes. Legion equipment is built to comply with applicable standards for manufacturers. Included among these approval agencies are: UL, NSF, ASME/National Board, CSA, AGA, CGA, ETL and others. Our program of constant product improvement makes it necessary for new or improved models to be submitted for testing by these various agencies as they are developed. Therefore, not all models bear the appropriate agency approval or certification at all times. Adjustments such as leveling, tightening of fasteners or utility connections (gas, electric, steam or water) normally associated with original installation are the responsibility of the owner-user or installer.			
Authorized Agency	Legion will replace or repair at no cost, F.O.B. plant of manufacture, any part of all equipment, which becomes defective due to material or factory workmanship within the warranty period. Legion agrees to pay for normal service rates required to repair or replace, at our option any part which proves to be defective in material or workmanship, during the labor warranty period. This warranty includes travel time not to exceed lesser of two (2) hours round-trip and mileage not to exceed 50 miles (150 miles round-trip).			
Replacement Parts	Warranty on all replacement parts which are replaced in the field by Legion Authorized Service Agencies will be limited to three (3) months on labor, six (6) months on materials (parts) effective from the date of installation.			
Specific Exclusions	Freight damage.			
	Equipment not properly registered within ten (10) days of installation.			
	Equipment failure relating to improper installation. Examples are but not limited to: improper utility connection(s), improper utilities supply and problems due to ventilation.			
	Equipment that has been modified, changed, or altered from its original shipped configuration, failure to use factory approved OEM replacement parts.			
	Use of other than pure distilled water (free of chlorides) in self-contained kettles.			
	Water damage to controls (electrical and mechanical) and other surfaces.			
	Equipment that has not been properly maintained. Examples are but not limited to: adjustments to pilots and burners and damage from improper cleaning.			
	Labor involved in moving adjacent objects to gain access to the equipment.			
	Expendable parts such as bulbs, gaskets, washers, plastic knobs & handles, bag filters, scraper blades, fuses, vinyl spray hoses, cleaning brushes and care kits.			
	Tampering, changing or adjusting any control equipment which was permanently set by the factory.			
Claims Procedure	Use of materials containing components harmful to stainless steel.			
	Changes, alterations, or modifications to equipment or parts by the owner, user, installer or any third party.			
	Claims of defects must be asserted by customer by written notice, accompanied by a description of the defect, proof of purchase, the delivery date and the date of installation, to Legion within ten (10) days after the defect is discovered but in no event beyond the applicable warranty time period. All claims under the Limited Warranty provided herein which are not made in accordance with the claims procedure set forth herein, are deemed waived and released by the customer. Following its receipt of such claim, Legion will notify customer whether customer must ship the defective part, freight prepaid, to Legion for repair or replacement, or whether repair or replacement will be accomplished on customer's premises.			
Limited Extended Warranty Coverage	THE FOREGOING SHALL CONSTITUTE THE SOLE AND EXCLUSIVE REMEDY OF ORIGINAL PURCHASER AND THE FULL LIABILITY OF LEGION INDUSTRIES FOR ANY BREACH OF WARRANTY. THE FOREGOING IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER WRITTEN, ORAL, OR IMPLIED, INCLUDING ANY WARRANTY OF PERFORMANCE, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE OR USE, AND SUPERSEDES AND EXCLUDES ANY ORAL OR OTHER WRITTEN WARRANTIES OR REPRESENTATIONS, NOT EXPRESSLY DESIGNATED IN WRITING AS A "WARRANTY" OR "GUARANTEE" OF LEGION INDUSTRIES MADE OR IMPLIED IN ANY MANUAL, LITERATURE, ADVERTISING BROCHURE OR OTHER MATERIALS OR MADE BY EMPLOYEES OR AGENTS OF LEGION. LEGION'S LIABILITY ON ANY CLAIM OF ANY KIND, INCLUDING NEGLIGENCE, WITH RESPECT TO THE GOODS OR SERVICES COVERED HEREUNDER, SHALL IN NO CASE EXCEED THE PRICE OF THE GOODS OR SERVICES, OR PART THEREOF, WHICH GIVES RISES TO THE CLAIM. IN NO EVENT SHALL LEGION INDUSTRIES BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES IN THE NATURE OF PENALTIES.			
	The purchaser of a Limited Extended Warranty Contract extends the standard warranty coverage to the purchased period of time (one to two years) from the date of registration or date of shipment, whichever is sooner. An additional two years Parts and Labor Warranty can be purchased with each piece of Legion equipment for an additional 4% of the List Price per year. The 4% of list price charge will be the net invoice amount for each year of extended warranty purchased			

Conditions of Sale 2021

Standards	Legion steam cooking equipment is built to comply with applicable standards of manufacturers. Included among these approval agencies are: UL, NSF, ASME/National Board, CSA, AGA, CGA, ETL and others. Many local codes exist, and it is the responsibility of the Owner and Installer to comply with these codes. We reserve the right to modify equipment illustrated and described in our catalog or as set forth in our form of quotation consistent with latest trends in design or because of factors beyond our control. Our program of product improvement makes it necessary for new or improved models to be submitted for testing by these various agencies as they are developed. Therefore, not all models bear the appropriate agency approval or certification at all times. Quotations are submitted on this basis. All orders are accepted on this basis.
Prices	Prices are fixed for a period of thirty (30) days following the date of quotation or as otherwise accepted in writing by Legion Industries, Inc. ("Legion").
Orders	Minimum orders of \$100.00 are required. A signed purchase order is required and should indicate purchase order number and dollar amount, requested ship date, complete shipping address, job name and location, model number; voltage requirement; type of gas; altitude if installation is over 2000 feet; and when required, incoming steam pressure. Purchase order should also include all options and accessories desired and prices. Approved drawings, when required must be received before equipment can be scheduled for production.
Shipping and Schedules	Legion will ship when merchandise is completed unless customer specifies a defined shipping date and such date is accepted in writing by Legion. Additional charges will be incurred if the customer changes the shipping date within four (4) weeks of the accepted shipping date. Additional charges may also be incurred for accelerated schedules. Shipments must be made within six (6) months of date of quotation or may be subject to increase in prices, unless price is protected in writing by Legion.
Freight Classifications	Rate classifications are subject to change without notice. Whenever possible, Legion will ship using the most economical commodity rate. Special configurations or non-standard crating (ex., oversized crate) may affect the classification.
Delivery	Delivery terms are F.O.B. Plant of manufacture, Waynesboro, Georgia 30830. The buyer must make claims for lost or damaged shipments direct upon the carrier. If shipment arrives and visible damage is evident, damaged conditions shall be noted on the carrier's receipt. If damage is concealed and discovered upon uncrating, an immediate report should be made to the carrier and the shipping container retained so that an inspection report can be made and claim filed by consignee. All merchandise must be unpacked and inspected within 10 days of receipt. Damage must be reported to carrier within that period. Our company's responsibility ceases upon acceptance of merchandise by common carrier.
Changes, Cancellations and Returns	Orders cancelled or changed after production has started are subject to a 15% charge. No return shipments accepted without prior approval. Please contact parts & service department. Returned Goods Authorization (RGA) must accompany all returns. All returns must be shipped prepaid within 45 days of authorization and must be in proper crating. Repair on any shipping damages will be deducted from credit due. Any special merchandise built to a buyer's specifications may not be returned or cancelled. No returns accepted after 90 days from date of invoice.
Terms	Payment terms shall be decided by Legion Industries, Inc. and set forth on the face of the Order Acknowledgement before releasing merchandise. Further, the Customer grants to Legion a security interest in the Merchandise as security for payment of the purchase price, including freight, if applicable. Customer acknowledges this sale occurred in the state of Georgia, under whose laws any disputes shall be resolved, concerning this sale. Resale Certificate Number is required from all Dealers.
Accessory Pricing	Accessories may be purchased at any time from the price list in effect at the time the order is placed.
Option Pricing	Option pricing is valid only when ordered at time of original equipment purchase.
Sales	Sales Office: Equipment, Chafers & Buffetware and Cookware; Phone: 706.554.4411; Fax: 706.554.2035; Toll Free: 800.887.1988; E-mail: sales@legionindustries.com
Service	Parts and Service Office: Phone: 706.554.4411; Fax: 706.554.2035; Toll Free: 800.887.1988; E-mail: service@legionindustries.com
	PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE The Company reserves the right to make substitutions of components or changes to the design without prior notice. ERRORS: Descriptive, typographic or photographic are subject to correction.

Notes:

[illegible]

Effective OCTOBER 1, 2021



LEGION INDUSTRIES, div. of Greenfield World Trade
370 MILLS ROAD, P.O. BOX 728 WAYNESBORO, GEORGIA
30830, USA 800-887-1988

Effective OCTOBER 1, 2021